



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/002,855	11/30/2001	Anne E. Miller	042390.P12072	3668

7590

08/06/2003

Mark V. Seeley
BLAKELY, SOFOLOFF, TAYLOR & ZAFMAN
Seventh Floor
12400 Wilshire Boulevard
Los Angeles, CA 90025-1026

EXAMINER

UMEZ ERONENI, LYNETTE T

ART UNIT

PAPER NUMBER

1765

7

DATE MAILED: 08/06/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/002,855

Applicant(s)

MILLER, ANNE E.

Examiner

Lynette T. Umez-Eronini

Art Unit

1765

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 15-23 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 15-23 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on ____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) ____.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). ____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 15, 17, and 18 are rejected under 35 U.S.C. 102(b) as being anticipated by Watts et al. (US 5,897,375).

Watts teaches, "In particular, the slurry taught herein contains an oxidizing agent (e.g., hydrogen peroxide H_2O_2), a citrate salt (e.g., ammonium citrate or potassium citrate), an abrasive slurry (e.g., alumina abrasive or silica abrasive), and a balance of a solvent such as deionized water or an alcohol. In addition, the compound 1,2, 4-triazole or a triazole derivative such as benzotriazole (same as applicant's corrosion inhibitor) can be included within the slurry to improve copper polishing planarity" (column 2, lines 27-37). "In general, the oxidizing agent (H_2O_2) of the slurry **24** may be within any range of roughly 0.2 weight percent (wt %) to 5.0 weight percent (wt %). The carboxylate salt or citrate salt can be within a range of roughly 0.2 weight percent to roughly 20 weight percent. The abrasive slurry (alumina abrasive) is roughly 1.0 weight percent to 12.0 weight percent of the slurry **24**" (column 5, lines 7-13). It is noted that Watts further teaches, "A typical abrasive which has been experimentally shown to result in good copper removal and planarization is an alumina abrasive, but a silica abrasive in lieu of the alumina abrasive or in addition with alumina may be used" (column 4, lines 61-65),

Art Unit: 1765

which provides evidence that silica can be substituted for alumina. "In addition, an optional triazole or triazole derivative can be provided within the slurry **24** to be roughly 0.05 weight percent to 2.0 weight percent of the slurry **24**. A remaining balance of the slurry . . . is typically deionized water . . ." (column 5, lines 13-17). Hence the above reads on:

A slurry for polishing comprising a mixture of:

between about 0.01 mole and about 0.1 mole per liter of a citric acid salt;

between about 1% and 20% by volume of a silica based abrasive;

between about 0.0004 and about 2 moles per liter of an oxidizer; and

water solvent, **as in claim 15**. Since Watts' polishing composition is the same as that of applicant's polishing mixture, then using Watts' polishing composition in the same manner as the claimed invention would inherently result in a slurry for polishing a barrier layer **as in claim 15**.

The above aforementioned further reads on,

between 0.001 mole and about 0.05 mole per liter of a corrosion inhibitor, **in claim 17**;

the corrosion inhibitor that is selected from the group consisting of benzotriazole, **in claim 18**.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 16, 19, and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Watts (US '375) as applied to claim 15 above, and further in view of Kaufman et al. (US 5,954,997).

Watts differs in failing to specify the slurry wherein the mixture has a pH that is greater than about 7.0, **in claim 16**.

Kaufman teaches, "It is desirable to maintain the pH of the CMP slurry of this invention within a range of from about 2.0 to about 12.0, and preferably between from about 4.0 and 9.0 in order to facilitate control of the CMP process"(column 8, lines 22-25).

It is the examiner's position that it would have been obvious to one having ordinary skill in the art at the time of the claimed invention to modify Watts by maintaining a cmp slurry that has a pH greater than 7.0 as taught by Kaufman for the purpose of facilitating control of the CMP process (Kaufman, column 8, lines 22-25).

Watts differs in failing to teach the slurry comprising less than 0.1 wt % of a surfactant, **in claim 19**; and a surfactant that is selected from the group as recited in **claim 20**.

Kaufman's slurry further includes a variety of optional additives such as surfactants that stabilize the dispersion of abrasive in the slurry against settling, flocculation, and decomposition (column 6, lines 32-37) and ranges from 0.001 and 2% by weight (column 6, lines 55-58), which provides evidence that a slurry comprises less than 0.1 wt % of a surfactant, as claimed in the present invention.

It is the examiner's position that it would have been obvious to one having ordinary skill in the art at the time of the claimed invention to modify Watts by employing a slurry that comprises a surfactant, as taught by Kaufman for the purpose of promoting stabilization of a CMP slurry against settling, flocculation, and decomposition (Kaufman, column 6, lines 34-36).

5. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Watts (US '375) as applied to claim 15 above, and further in view of Payne (US 4,752,628).

Watts differs in failing to teach the slurry further comprising less than about 300 ppm of the biocide.

Payne teaches a lapping composition that is made up of 0.05 - 3 % (~ 500 ppm - 30,000 ppm) by weight biocide (column 1, lines 22-24 and 30, and 51-60), which provides evidence that the concentration of biocide in a slurry varies and is a so-called "result effective variable."

It is the examiner's position that it would have been obvious to one having ordinary skill in the art at the time of the claimed invention to modify Watts by varying the concentration of a biocide in a lapping (polishing) composition as taught by Payne, since it has been disclosed that discovering an optimum value of a result effective variable involves only routine skill in the art. In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980) and for the purpose of preparing a slurry that remain stable upon storage and shipment to the end user from a manufacturer or formulator (Payne, column 2, lines 44-46).

6. Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over Watts (US '375) view of Li et al. (US 6,242,351 B1).

Watts teaches, "In particular, the slurry taught herein contains an oxidizing agent (e.g., hydrogen peroxide H_2O_2), a citrate salt (e.g., ammonium citrate or potassium citrate), an abrasive slurry (e.g., alumina abrasive or silica abrasive), and a balance of a solvent such as deionized water or an alcohol. In addition, the compound 1,2, 4-triazole or a triazole derivative such as benzotriazole (same as applicant's corrosion inhibitor) can be included within the slurry to improve copper polishing planarity" (column 2, lines 27-37). "In general, the oxidizing agent (H_2O_2) of the slurry **24** may be within any range of roughly 0.2 weight percent (wt %) to 5.0 weight percent (wt %). The carboxylate salt or citrate salt can be within a range of roughly 0.2 weight percent to roughly 20 weight percent. The abrasive slurry (alumina abrasive) is roughly 1.0 weight percent to 12.0 weight percent of the slurry **24**" (column 5, lines 7-13). It is noted that Watts further

teaches, "A typical abrasive which has been experimentally shown to result in good copper removal and planarization is an alumina abrasive, but a silica abrasive in lieu of the alumina abrasive or in addition with alumina may be used" (column 4, lines 61-65), which provides evidence that silica can be substituted for alumina. "In addition, an optional triazole or triazole derivative can be provided within the slurry **24** to be roughly 0.05 weight percent to 2.0 weight percent of the slurry **24**. A remaining balance of the slurry . . . is typically deionized water . . ." (column 5, lines 13-17). Hence the above reads on:

A slurry for polishing comprising a mixture of:

between about 0.01 mole and about 0.1 mole per liter of a citric acid salt;

between about 1% and 20% by volume of a silica based abrasive; and

water solvent.

Watts differs in failing to teach a slurry comprising .38 grams per liter of a 30% H_2O_2 solution.

Li teaches, " . . . a . . . slurry from (i) between about 0 and 7 wt-% oxidizer" (column 2, lines 22-26). "Suitable oxidizers include, for example, hydrogen peroxide, . . ." (column 3, lines 55-57), which encompasses 0.38 g/l (~ 0.038 g/100 ml ~ 0.038 wt percent) H_2O_2 , shows varying concentrations of peroxide, and provides evidence that the concentration of a so-called "result effective variable."

It is the examiner's position that it would have been obvious to one having ordinary skill in the art at the time of the claimed invention to modify Watts by using Li's concentration of hydrogen peroxide since it has been disclosed that discovering an

Art Unit: 1765

optimum value of a result effective variable involves only routine skill in the art. In re Boesch, 617 F.2d, 272, 205 USPQ 215 (CCPA 1980).

7. Claim 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over Watts (US '375) in view of Li (US '351 B1) as applied to claim 22 above, and further in view of Kaufman (US '997).

Watts in view of Li differs in failing to specify the slurry wherein the mixture has a pH that is greater than about 7.0, **in claim 23**.

Kaufman teaches, "It is desirable to maintain the pH of the CMP slurry of this invention within a range of from about 2.0 to about 12.0, and preferably between from about 4.0 and 9.0 in order to facilitate control of the CMP process"(column 8, lines 22-25).

It is the examiner's position that it would have been obvious to one having ordinary skill in the art at the time of the claimed invention to modify Watts in view of Li by maintaining a cmp slurry that has a pH greater than 7.0 as taught by Kaufman for the purpose of facilitating control of the CMP process (Kaufman, column 8, lines 22-25).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lynette T. Umez-Eronini whose telephone number is 703-306-9074. The examiner is normally unavailable on the First Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nadine Norton can be reached on 703-305-2667. The fax phone numbers

Application/Control Number: 10/002,855

Page 9

Art Unit: 1765

for the organization where this application or proceeding is assigned are 703-872-9310
for regular communications and 703-872-9311 for After Final communications.

Lynette J. Umez-Eronini

ltue

August 4, 2003